


Stair-step Covers

Stair-step Covers

Safe Glow™ Professional Interiors egress products include stair-step covers for emergency stairwells featuring superior performance and looks. When power is lost, or when stairwells are darkened by smoke, these stair-step covers offer superior photoluminescent performance to assist occupants as they evacuate your building. Brighter performance gives evacuees greater confidence when heading down stairwells. This translates into a faster, more sure-footed descent and a higher level of life safety for everyone in the stairwell.

Safe Glow™ stair step covers meet the ASTM guideline of having a self-illuminated strip that is 1" - 2" thick along the leading edge of the step. Their energy saving features allow them to charge with ambient light and glow for hours when lighting is lost.



Features:

- Non-radioactive and non-toxic
- Charges using ambient light
- Uses no electricity or batteries
- No maintenance required
- Easy installation

Specifications:

- Expected operating life - 25 years
- Warranty - 5 year limited warranty



www.safeglow.com

714-223-9700

Safe Glow Corporation
18022 Yorba Linda Blvd., Yorba Linda, CA 92886-3904



Safe Glow™ is a trademark of Safe Glow Corporation. © Safe Glow Corporation 2009

Stair-step Covers – Professional Interiors Line

High-performance Stair-step Covers


Product Number
SSC-01

Dimensions:
5' x 2.5"

Illustration not to scale.

Weight:

11 oz.
per linear foot



Description:

These photoluminescent stair-step covers are made from our highest performing photoluminescent material. Their principal purpose is to provide visible guidance up and down stairwells.

Design:

Safe Glow™ stair-step covers meet the ASTM guideline of having a self-illuminated strip that is 1" - 2" thick along the leading edge of the step.

Installation:

These Stair-step Covers are adhered to the face of the step with urethane adhesive. Please refer to installation instructions for directions and surface preparation requirements. Please refer to local codes to ensure proper installation.

Performance:

The performance of these products surpasses that required by UL 1994. High-performance Stair-step covers surpass the performance requirements of the 2009 NFPA Life Safety 101 and IBC building codes. They glow for more than 16 hours with a full charge. No other products provide brighter or longer-lasting photoluminescent performance than Safe Glow™ Professional Interior products.

Stair-step Covers – Non-slip Surface



Stair-step Covers – Non-slip

Product Number
SSC-02

Dimensions:
5' x 2.5"

Illustration not to scale.

Weight:
2 lb. 14 oz.
per linear foot



Description:

These photoluminescent stair-step covers feature a cement composite non-slip surface and a lower-performing photoluminescent material. Their principal purpose is to provide visible guidance up and down stairwells – the non-slip material is especially useful in sprinklered stairwells.

Design:

Safe Glow™ Stair-step Covers meet the ASTM guideline of having a self-illuminated strip that is 1" - 2" thick along the leading edge of the step. This stair-step is made from a heavy-duty aluminum extrusion for longevity and superior wear.

Installation:

These Stair-step Covers are adhered to the face of the step with both urethane adhesive and mechanical fasteners (screws). Please refer to installation instructions for directions and surface preparation requirements. Please refer to local codes to ensure proper installation.

Performance:

These products glow for more than 6 hours with a full charge.



www.safeglow.com

714-223-9700

Safe Glow Corporation
18022 Yorba Linda Blvd., Yorba Linda, CA 92886-3904



Safe Glow™ is a trademark of Safe Glow Corporation. © Safe Glow Corporation 2009



Stair-step L-brackets – Economy Products

Stair-step L-brackets

Product Number
ESSM-01B

Dimensions:
9" x 4"

Weight:
2 oz.



Description:

These photoluminescent Stair-step L-brackets are an inexpensive way to mark the width and depth of stair-steps. They come with self-stick adhesive and a lower-performing photoluminescent material. Their principal purpose is to provide visible guidance up and down stairwells.

Design:

These economy products **do not** meet the ASTM guideline of having a self-illuminated strip that is 1" - 2" thick along the leading edge of the step and as a result, **do not** meet current code. These products are designed for application to non-emergency egress stairwells where code does not require self-illuminating products.

Installation:

These Stair-step L-brackets feature self-stick 3M VHB adhesive for easy application. Please refer to installation instructions for complete directions and surface preparation requirements. Please refer to local codes to ensure that these products are suited for your application.

Performance:

These products glow for more than 8 hours with a full charge.



www.safeglow.com

714-223-9700

Safe Glow Corporation
18022 Yorba Linda Blvd., Yorba Linda, CA 92886-3904



Safe Glow™ is a trademark of Safe Glow Corporation. © Safe Glow Corporation 2009